Appendix A

Test Information:

Sample No.:	3R4H-1	Test Date:	2026/08/18~2026/09/23
Test Site:	RF	Test Mode:	Transmitting/Receiving
Tester:	Steve Lu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2-25.6	Relative Humidity: (%)	52-55	ATM Pressure: (kPa)	99.2-100.2

Appendix A.1: Frequency Error

Test Condition: NV

W52

Mode	Frequency (MHz)	Measure Frequency (MHz)	Frequency Tolerance (ppm)	Limit (ppm)	Verdict
Single Carrier	5180	5180.01185	2.29	± 20	Pass
	5190	5190.00975	1.88	± 20	Pass
	5200	5200.01155	2.22	± 20	Pass
	5230	5230.00975	1.86	± 20	Pass
	5240	5240.01095	2.09	± 20	Pass

W53

Mode	Frequency (MHz)	Measure Frequency (MHz)	Frequency Tolerance (ppm)	Limit (ppm)	Verdict
Single Carrier	5260	5260.01065	2.02	± 20	Pass
	5270	5270.01035	1.96	± 20	Pass
	5280	5280.01095	2.07	± 20	Pass
	5310	5310.01035	1.95	± 20	Pass
	5320	5320.01065	2.00	± 20	Pass

W56


Mode	Frequency (MHz)	Measure Frequency (MHz)	Frequency Tolerance (ppm)	Limit (ppm)	Verdict
Single Carrier	5500	5500.01095	1.99	± 20	Pass
	5510	5510.01035	1.88	± 20	Pass
	5590	5590.01035	1.85	± 20	Pass
	5600	5600.01095	1.96	± 20	Pass
	5710	5710.01035	1.81	± 20	Pass
	5720	5720.01125	1.97	± 20	Pass

Note:

Frequency Tolerance = (Measure Frequency - Frequency)/Frequency*10^6


W52, Test Condition: NV

5180MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:18:27

5190MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:28:21

5200MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:18:53


5230MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:28:51


W53, Test Condition: NV

5240MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:20:27

5260MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:21:02


5270MHz




5280MHz



5310MHz




5320MHz




W56, Test Condition: NV


5500MHz



5510MHz




5590MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:31:08

5600MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:24:05

5710MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:32:29

5720MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:24:31

Appendix A.2: Occupied Bandwidth

Test Condition: NV

W52

Mode	Result(MHz)			Limit(MHz)	Verdict
	Low Channel	Middle Channel	High Channel		
802.11a	17.12	17.12	17.12	≤ 20	Pass
802.11ac20	18.20	18.28	18.24	≤ 20	Pass
802.11ac40	36.24	/	36.24	≤ 40	Pass
802.11ax20	19.28	19.28	19.28	≤ 20	Pass
802.11ax40	37.84	/	37.84	≤ 40	Pass

W53


Mode	Result(MHz)			Limit(MHz)	Verdict
	Low Channel	Middle Channel	High Channel		
802.11a	17.12	17.12	17.12	≤ 20	Pass
802.11ac20	18.28	18.28	18.28	≤ 20	Pass
802.11ac40	36.24	/	36.24	≤ 40	Pass
802.11ax20	19.32	19.28	19.28	≤ 20	Pass
802.11ax40	37.92	/	37.84	≤ 40	Pass

W56

Mode	Result(MHz)			Limit(MHz)	Verdict
	Low Channel	Middle Channel	High Channel		
802.11a	17.36	17.36	17.40	≤ 20	Pass
802.11ac20	18.52	18.56	18.56	≤ 20	Pass
802.11ac40	36.48	36.48	36.48	≤ 40	Pass
802.11ax20	19.44	19.44	19.44	≤ 20	Pass
802.11ax40	38.08	38.08	38.08	≤ 40	Pass


W52, Test Condition: NV

802.11a, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:11:27

802.11a, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:27:18

802.11a, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:32:30

802.11ac20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:11:12

802.11ac20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:17:05

802.11ac20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:24:09

802.11ac40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:18:41

802.11ac40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:21:41

802.11ax20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:29:02

802.11ax20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:32:31

802.11ax20, High Channel



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:34:49


802.11ax40, Low Channel



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:53:40


W53, Test Condition: NV

802.11ax40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:57:01

802.11a, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:37:24

802.11a, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:39:50

802.11a, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:13:43

802.11ac20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:28:34

802.11ac20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:31:24

802.11ac20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:33:30

802.11ac40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:24:17

802.11ac40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:26:52

802.11ax20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:19:37

802.11ax20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:21:56

802.11ax20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:24:11

802.11ax40, Low Channel




802.11ax40, High Channel




W56, Test Condition: NV


802.11a, Low Channel




802.11a, Middle Channel




802.11a, High Channel



802.11ac20, Low Channel




802.11ac20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:40:30

802.11ac20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:43:00

802.11ac40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:43:03

802.11ac40, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:46:37

802.11ac40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:49:22

802.11ax20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:26:28

802.11ax20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:28:42

802.11ax20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:31:25

802.11ax40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:09:23

802.11ax40, Middle Channel



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:14:50

802.11ax40, High Channel



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:24:30

Appendix A.3: Transmitter Spurious Emission Strength

Test Condition: NV

W52, 802.11a

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5100	3242.99	-35.11	-32.76	0.530	2.5	Pass
	5100	5142	5136.36	-34.49	-32.14	0.611	2.5	Pass
	5142	5150	5143.72	-34.49	-32.14	0.611	15	Pass
	5250	5251	5251	-36.08	-33.73	0.424	100	Pass
	5251	5260	5258.9	-35.1	-32.75	0.531	19.85	Pass
	5260	5266.7	5265.93	-35.2	-32.85	0.519	3.08	Pass
	5266.7	5300	5273.75	-34.71	-32.36	0.581	2.5	Pass
	5300	26000	19857.8	-37.41	-35.06	0.312	2.5	Pass
Middle	30	5100	4430.89	-34.58	-32.23	0.598	2.5	Pass
	5100	5142	5128.34	-35.03	-32.68	0.540	2.5	Pass
	5142	5150	5149.53	-34.93	-32.58	0.552	15	Pass
	5250	5251	5250.99	-33.98	-31.63	0.687	102.33	Pass
	5251	5260	5259.78	-35.83	-33.48	0.449	16.58	Pass
	5260	5266.7	5266.52	-34.86	-32.51	0.561	2.62	Pass
	5266.7	5300	5277.26	-34.57	-32.22	0.600	2.5	Pass
	5300	26000	5893.6	-36.78	-34.43	0.361	2.5	Pass
High	30	5100	4347.49	-34.59	-32.24	0.597	2.5	Pass
	5100	5142	5127.69	-34.24	-31.89	0.647	2.5	Pass
	5142	5150	5143.77	-34.52	-32.17	0.607	15	Pass
	5250	5251	5250.95	-28.87	-26.52	2.228	112.2	Pass
	5251	5260	5251.46	-29.97	-27.62	1.730	91.01	Pass
	5260	5266.7	5266.45	-35.52	-33.17	0.482	2.67	Pass
	5266.7	5300	5268.66	-33.84	-31.49	0.710	2.5	Pass
	5300	26000	5887.4	-37.77	-35.42	0.287	2.5	Pass

W52, 802.11ac20

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5100	4280.05	-35.01	-32.66	0.542	2.5	Pass
	5100	5142	5121.78	-34.4	-32.05	0.624	2.5	Pass
	5142	5150	5143.9	-34.05	-31.7	0.676	15	Pass
	5250	5250.2	5250.09	-34.23	-31.88	0.649	1239.75	Pass
	5250.2	5251	5250.98	-35.63	-33.28	0.470	104.71	Pass
	5251	5260	5259.97	-35.89	-33.54	0.443	15.95	Pass
	5260	5266.7	5265.79	-34.28	-31.93	0.641	3.2	Pass
	5266.7	5300	5294.2	-34.62	-32.27	0.593	2.5	Pass
	5300	26000	6635.7	-36.94	-34.59	0.348	2.5	Pass
Middle	30	5100	4838.26	-34.29	-31.94	0.640	2.5	Pass
	5100	5142	5117.03	-34.98	-32.63	0.546	2.5	Pass
	5142	5150	5146.88	-34.85	-32.5	0.562	15	Pass
	5250	5250.2	5250.2	-34.89	-32.54	0.557	630.96	Pass
	5250.2	5251	5251	-35.79	-33.44	0.453	100	Pass
	5251	5260	5259.88	-35.19	-32.84	0.520	16.24	Pass
	5260	5266.7	5265.36	-34	-31.65	0.684	3.6	Pass
	5266.7	5300	5276.93	-34.9	-32.55	0.556	2.5	Pass
	5300	26000	6663.6	-38.01	-35.66	0.272	2.5	Pass
High	30	5100	4294.5	-34.97	-32.62	0.547	2.5	Pass
	5100	5142	5119.97	-34.69	-32.34	0.583	2.5	Pass
	5142	5150	5142.98	-34.7	-32.35	0.582	15	Pass
	5250	5250.2	5250.11	-6.88	-4.53	352.371	1096.48	Pass
	5250.2	5251	5250.94	-28.72	-26.37	2.307	114.82	Pass
	5251	5260	5251.07	-28.31	-25.96	2.535	98.58	Pass
	5260	5266.7	5265.18	-34.71	-32.36	0.581	3.79	Pass
	5266.7	5300	5266.87	-34.81	-32.46	0.568	2.5	Pass
	5300	26000	6675	-37.54	-35.19	0.303	2.5	Pass

W52, 802.11ac40

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5100	3466.07	-34.52	-32.17	0.607	2.5	Pass
	5100	5141.6	5122.4	-33.36	-31.01	0.793	2.5	Pass
	5141.6	5150	5146.32	-34.6	-32.25	0.596	15	Pass
	5250	5251	5250.97	-34.91	-32.56	0.555	53.58	Pass
	5251	5270	5269.87	-34.32	-31.97	0.635	8.02	Pass
	5270	5278.4	5275.8	-33.77	-31.42	0.721	3.56	Pass
	5278.4	5300	5280.07	-34.45	-32.1	0.617	2.5	Pass
	5300	26000	5858.4	-37.33	-34.98	0.318	2.5	Pass
High	30	5100	4383.99	-34.55	-32.2	0.603	2.5	Pass
	5100	5141.6	5138.33	-33.91	-31.56	0.698	2.5	Pass
	5141.6	5150	5147.11	-34.25	-31.9	0.646	15	Pass
	5250	5251	5250.95	-15.29	-12.94	50.816	56.1	Pass
	5251	5270	5251	-15.8	-13.45	45.186	50	Pass
	5270	5278.4	5278.38	-34.9	-32.55	0.556	2.49	Pass
	5278.4	5300	5292.97	-33.86	-31.51	0.706	2.5	Pass
	5300	26000	6812.7	-37.64	-35.29	0.296	2.5	Pass

W52, 802.11ax20

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5100	4841.81	-35.01	-32.66	0.542	2.5	Pass
	5100	5142	5119.59	-34.58	-32.23	0.598	2.5	Pass
	5142	5150	5142.95	-34.04	-31.69	0.678	15	Pass
	5250	5250.2	5250.16	-34.45	-32.1	0.617	806.62	Pass
	5250.2	5251	5250.98	-35.18	-32.83	0.521	104.71	Pass
	5251	5260	5259.79	-35.4	-33.05	0.495	16.54	Pass
	5260	5266.7	5265.78	-35.57	-33.22	0.476	3.21	Pass
	5266.7	5300	5270.03	-34.78	-32.43	0.571	2.5	Pass
	5300	26000	6042.6	-37.31	-34.96	0.319	2.5	Pass
Middle	30	5100	4387.03	-35.03	-32.68	0.540	2.5	Pass
	5100	5142	5106.19	-34.67	-32.32	0.586	2.5	Pass
	5142	5150	5142.88	-34.55	-32.2	0.603	15	Pass
	5250	5250.2	5250.18	-34.07	-31.72	0.673	713.4	Pass
	5250.2	5251	5250.93	-35.23	-32.88	0.515	117.49	Pass
	5251	5260	5260	-35.06	-32.71	0.536	15.85	Pass
	5260	5266.7	5265.89	-35.31	-32.96	0.506	3.11	Pass
	5266.7	5300	5294.75	-34.89	-32.54	0.557	2.5	Pass
	5300	26000	6224.8	-37.3	-34.95	0.320	2.5	Pass
High	30	5100	4492.74	-35.14	-32.79	0.526	2.5	Pass
	5100	5142	5135.89	-34.96	-32.61	0.548	2.5	Pass
	5142	5150	5145.41	-34.66	-32.31	0.587	15	Pass
	5250	5250.2	5250	-2.5	-0.15	966.051	2154.43	Pass
	5250.2	5251	5251	-30.78	-28.43	1.435	100	Pass
	5251	5260	5251.9	-34.11	-31.76	0.667	83.18	Pass
	5260	5266.7	5265.55	-35.62	-33.27	0.471	3.42	Pass
	5266.7	5300	5280.88	-34.25	-31.9	0.646	2.5	Pass
	5300	26000	6789.9	-37.46	-35.11	0.308	2.5	Pass

W52, 802.11ax40

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5100	4352.3	-34.69	-32.34	0.583	2.5	Pass
	5100	5141.6	5136.17	-33.8	-31.45	0.716	2.5	Pass
	5141.6	5150	5149	-34.08	-31.73	0.671	15	Pass
	5250	5251	5250.93	-34.48	-32.13	0.612	58.74	Pass
	5251	5270	5269.87	-35.11	-32.76	0.530	8.02	Pass
	5270	5278.4	5277.09	-34.1	-31.75	0.668	2.98	Pass
	5278.4	5300	5285.47	-34.74	-32.39	0.577	2.5	Pass
	5300	26000	5813.9	-36.84	-34.49	0.356	2.5	Pass
High	30	5100	4987.07	-34.29	-31.94	0.640	2.5	Pass
	5100	5141.6	5102.06	-34.5	-32.15	0.610	2.5	Pass
	5141.6	5150	5141.67	-34.47	-32.12	0.614	15	Pass
	5250	5251	5251	-35.65	-33.3	0.468	50	Pass
	5251	5270	5251	-37.21	-34.86	0.327	50	Pass
	5270	5278.4	5277.87	-34.8	-32.45	0.569	2.67	Pass
	5278.4	5300	5290.38	-34.31	-31.96	0.637	2.5	Pass
	5300	26000	6929.6	-37.21	-34.86	0.327	2.5	Pass

W53, 802.11a

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5200	5086.39	-35.16	-32.87	0.516	2.5	Pass
	5200	5233.3	5231.55	-34.28	-31.99	0.632	2.5	Pass
	5233.3	5240	5234.25	-35.05	-32.76	0.53	3.24	Pass
	5240	5249	5248.98	-12.32	-10.03	99.312	99.59	Pass
	5249	5250	5249.05	-28.73	-26.44	2.27	112.2	Pass
	5350	5400	5355.87	-35.57	-33.28	0.47	2.5	Pass
	5400	26000	5768.2	-37.37	-35.08	0.31	2.5	Pass
Middle	30	5200	2553.35	-34.83	-32.54	0.557	2.5	Pass
	5200	5233.3	5215	-34.41	-32.12	0.614	2.5	Pass
	5233.3	5240	5233.8	-35.13	-32.84	0.52	2.86	Pass
	5240	5249	5240.61	-34.8	-32.51	0.561	17.96	Pass
	5249	5250	5249.04	-35.52	-33.23	0.475	109.65	Pass
	5350	5400	5366.47	-34.57	-32.28	0.592	2.5	Pass
	5400	26000	6522.2	-37.28	-34.99	0.317	2.5	Pass
High	30	5200	4394.64	-35	-32.71	0.536	2.5	Pass
	5200	5233.3	5209.11	-34.87	-32.58	0.552	2.5	Pass
	5233.3	5240	5234.15	-34.61	-32.32	0.586	3.15	Pass
	5240	5249	5240.51	-36.03	-33.74	0.423	17.59	Pass
	5249	5250	5249.01	-36.94	-34.65	0.343	102.33	Pass
	5350	5400	5370.38	-33.68	-31.39	0.726	2.5	Pass
	5400	26000	5769.3	-37.25	-34.96	0.319	2.5	Pass

W53, 802.11ac20

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5200	4994.62	-34.33	-32.04	0.625	2.5	Pass
	5200	5233.3	5206.81	-34.38	-32.09	0.618	2.5	Pass
	5233.3	5240	5233.47	-35.64	-33.35	0.462	2.61	Pass
	5240	5249	5248.91	-27.62	-25.33	2.931	98.17	Pass
	5249	5249.8	5249.08	-27.42	-25.13	3.069	120.23	Pass
	5249.8	5250	5249.86	-6.53	-4.24	376.704	912.01	Pass
	5350	5400	5373.02	-35.53	-33.24	0.474	2.5	Pass
	5400	26000	6956.8	-37.95	-35.66	0.272	2.5	Pass
Middle	30	5200	5196.25	-34.77	-32.48	0.565	2.5	Pass
	5200	5233.3	5223.63	-34.15	-31.86	0.652	2.5	Pass
	5233.3	5240	5233.38	-35.27	-32.98	0.504	2.54	Pass
	5240	5249	5240.14	-35.28	-32.99	0.502	16.31	Pass
	5249	5249.8	5249.01	-35.52	-33.23	0.475	102.33	Pass
	5249.8	5250	5249.82	-35.67	-33.38	0.459	713.4	Pass
	5350	5400	5394.53	-35.03	-32.74	0.532	2.5	Pass
	5400	26000	5934.1	-37.24	-34.95	0.32	2.5	Pass
High	30	5200	4350.44	-34.86	-32.57	0.553	2.5	Pass
	5200	5233.3	5224.86	-34.24	-31.95	0.638	2.5	Pass
	5233.3	5240	5233.68	-33.81	-31.52	0.705	2.76	Pass
	5240	5249	5240	-36.23	-33.94	0.404	15.85	Pass
	5249	5249.8	5249.1	-35.94	-33.65	0.432	125.89	Pass
	5249.8	5250	5249.81	-36.03	-33.74	0.423	670.91	Pass
	5350	5400	5368.37	-34.34	-32.05	0.624	2.5	Pass
	5400	26000	5831.1	-37.37	-35.08	0.31	2.5	Pass

W53, 802.11ac40

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5200	4360.52	-34.66	-32.37	0.579	2.5	Pass
	5200	5221.6	5206.51	-34.22	-31.93	0.641	2.5	Pass
	5221.6	5230	5222.49	-35.54	-33.25	0.473	2.81	Pass
	5230	5249	5248.82	-16.98	-14.69	33.963	49.14	Pass
	5249	5250	5249.25	-14.61	-12.32	58.614	88.91	Pass
	5350	5358.4	5356.51	-34.92	-32.63	0.546	15	Pass
	5358.4	5400	5379.51	-35.28	-32.99	0.502	2.5	Pass
	5400	26000	6993.9	-37.89	-35.6	0.275	2.5	Pass
High	30	5200	5187.2	-34.96	-32.67	0.541	2.5	Pass
	5200	5221.6	5203.6	-35.11	-32.82	0.522	2.5	Pass
	5221.6	5230	5222.97	-35.46	-33.17	0.482	3	Pass
	5230	5249	5230.26	-35.77	-33.48	0.449	8.13	Pass
	5249	5250	5249.12	-34.89	-32.6	0.55	65.91	Pass
	5350	5358.4	5354.38	-34.82	-32.53	0.558	15	Pass
	5358.4	5400	5362.91	-35.19	-32.9	0.513	2.5	Pass
	5400	26000	6975.4	-37.18	-34.89	0.324	2.5	Pass

W53, 802.11ax20

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5200	3223.64	-34.65	-32.36	0.581	2.5	Pass
	5200	5233.3	5219.16	-33.93	-31.64	0.685	2.5	Pass
	5233.3	5240	5233.33	-34.6	-32.31	0.587	2.51	Pass
	5240	5249	5248.64	-32.1	-29.81	1.045	92.9	Pass
	5249	5249.8	5249.01	-29.94	-27.65	1.718	102.33	Pass
	5249.8	5250	5249.83	-16.21	-13.92	40.551	758.58	Pass
	5350	5400	5377.03	-35.03	-32.74	0.532	2.5	Pass
	5400	26000	5850.6	-37.59	-35.3	0.295	2.5	Pass
Middle	30	5200	5065.45	-34.5	-32.21	0.601	2.5	Pass
	5200	5233.3	5220.66	-34.8	-32.51	0.561	2.5	Pass
	5233.3	5240	5233.87	-35.63	-33.34	0.463	2.91	Pass
	5240	5249	5240.31	-34.56	-32.27	0.593	16.89	Pass
	5249	5249.8	5249	-35.25	-32.96	0.506	100	Pass
	5249.8	5250	5249.82	-34.91	-32.62	0.547	713.4	Pass
	5350	5400	5399.12	-34.7	-32.41	0.574	2.5	Pass
	5400	26000	5982.5	-37.87	-35.58	0.277	2.5	Pass
High	30	5200	2606.6	-33.58	-31.29	0.743	2.5	Pass
	5200	5233.3	5215.57	-34.47	-32.18	0.605	2.5	Pass
	5233.3	5240	5233.61	-36.33	-34.04	0.394	2.71	Pass
	5240	5249	5240.37	-35.32	-33.03	0.498	17.1	Pass
	5249	5249.8	5249.02	-36.26	-33.97	0.401	104.71	Pass
	5249.8	5250	5249.81	-35.45	-33.16	0.483	670.91	Pass
	5350	5400	5366.92	-34.49	-32.2	0.603	2.5	Pass
	5400	26000	5922.7	-37.13	-34.84	0.328	2.5	Pass

W53, 802.11ax40

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5200	5174.28	-35.04	-32.75	0.531	2.5	Pass
	5200	5221.6	5204.05	-34.1	-31.81	0.659	2.5	Pass
	5221.6	5230	5222.01	-35.16	-32.87	0.516	2.63	Pass
	5230	5249	5248.91	-15.51	-13.22	47.643	49.57	Pass
	5249	5250	5249.02	-38.13	-35.84	0.261	52.36	Pass
	5350	5358.4	5355.75	-35.17	-32.88	0.515	15	Pass
	5358.4	5400	5378.43	-34.44	-32.15	0.61	2.5	Pass
	5400	26000	6322.4	-37.21	-34.92	0.322	2.5	Pass
High	30	5200	4417.13	-35.08	-32.79	0.526	2.5	Pass
	5200	5221.6	5221.14	-34.83	-32.54	0.557	2.5	Pass
	5221.6	5230	5223.85	-33.93	-31.64	0.685	3.39	Pass
	5230	5249	5230.56	-35.35	-33.06	0.494	8.37	Pass
	5249	5250	5249.09	-34.9	-32.61	0.548	61.51	Pass
	5350	5358.4	5355.51	-34.88	-32.59	0.551	15	Pass
	5358.4	5400	5369.07	-34.7	-32.41	0.574	2.5	Pass
	5400	26000	5823.8	-37.07	-34.78	0.333	2.5	Pass

W56, 802.11a

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5300	5241.63	-34.54	-31.39	0.726	2.5	Pass
	5300	5460	5454.32	-34.95	-31.8	0.661	2.5	Pass
	5460	5470	5467.06	-29.67	-26.52	2.228	12.5	Pass
	5745	5765	5761.72	-33.03	-29.88	1.028	12.5	Pass
	5765	5900	5868.75	-32.83	-29.68	1.076	2.5	Pass
	5900	26000	6928.6	-37.21	-34.06	0.393	2.5	Pass
Middle	30	5300	4255.88	-35.02	-31.87	0.65	2.5	Pass
	5300	5460	5327.92	-34.93	-31.78	0.664	2.5	Pass
	5460	5470	5461.49	-34.16	-31.01	0.793	12.5	Pass
	5745	5765	5756.47	-33.02	-29.87	1.03	12.5	Pass
	5765	5900	5847.69	-32.75	-29.6	1.096	2.5	Pass
	5900	26000	15660.1	-36.88	-33.73	0.424	2.5	Pass
High	30	5300	4043.24	-34.32	-31.17	0.764	2.5	Pass
	5300	5460	5413.2	-34.36	-31.21	0.757	2.5	Pass
	5460	5470	5464.84	-34.48	-31.33	0.736	12.5	Pass
	5745	5765	5750.11	-23.98	-20.83	8.26	12.5	Pass
	5765	5900	5856.87	-32.86	-29.71	1.069	2.5	Pass
	5900	26000	6817.1	-37.45	-34.3	0.372	2.5	Pass

W56, 802.11ac20

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5300	4365.23	-34.37	-31.22	0.755	2.5	Pass
	5300	5460	5430.64	-33.81	-30.66	0.859	2.5	Pass
	5460	5470	5467.85	-27.55	-24.4	3.631	12.5	Pass
	5745	5765	5749.77	-33.65	-30.5	0.891	12.5	Pass
	5765	5900	5819.34	-33.03	-29.88	1.028	2.5	Pass
	5900	26000	6052.3	-37.31	-34.16	0.384	2.5	Pass
Middle	30	5300	5199.47	-34.92	-31.77	0.665	2.5	Pass
	5300	5460	5381.2	-35.13	-31.98	0.634	2.5	Pass
	5460	5470	5464.2	-34.47	-31.32	0.738	12.5	Pass
	5745	5765	5759.71	-33.48	-30.33	0.927	12.5	Pass
	5765	5900	5856.19	-33.02	-29.87	1.03	2.5	Pass
	5900	26000	6343.7	-37.77	-34.62	0.345	2.5	Pass
High	30	5300	5209.49	-34.73	-31.58	0.695	2.5	Pass
	5300	5460	5403.92	-35.42	-32.27	0.593	2.5	Pass
	5460	5470	5462.33	-34.68	-31.53	0.703	12.5	Pass
	5745	5765	5745.18	-22.63	-19.48	11.272	12.5	Pass
	5765	5900	5766.01	-32.49	-29.34	1.164	2.5	Pass
	5900	26000	5939.7	-37.85	-34.7	0.339	2.5	Pass

W56, 802.11ac40

Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5300	4295.93	-34.2	-31.05	0.785	12.5	Pass
	5300	5460	5452.88	-30.62	-27.47	1.791	12.5	Pass
	5460	5470	5463.03	-25.79	-22.64	5.445	50	Pass
	5770	5900	5854.18	-33.08	-29.93	1.016	12.5	Pass
	5900	26000	6953.7	-37.44	-34.29	0.372	12.5	Pass
Middle	30	5300	5182.08	-34.02	-30.87	0.818	12.5	Pass
	5300	5460	5423.92	-34.79	-31.64	0.685	12.5	Pass
	5460	5470	5463.28	-34.15	-31	0.794	50	Pass
	5770	5900	5877.19	-32.37	-29.22	1.197	12.5	Pass
	5900	26000	6726.6	-37.5	-34.35	0.367	12.5	Pass
High	30	5300	5210.28	-33.66	-30.51	0.889	12.5	Pass
	5300	5460	5454.64	-35.07	-31.92	0.643	12.5	Pass
	5460	5470	5469.07	-34.84	-31.69	0.678	50	Pass
	5770	5900	5840.52	-33.27	-30.12	0.973	12.5	Pass
	5900	26000	6918.6	-37.87	-34.72	0.337	12.5	Pass

W56, 802.11ax20


Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5300	4354.96	-34.29	-31.14	0.769	2.5	Pass
	5300	5460	5452.72	-35.12	-31.97	0.635	2.5	Pass
	5460	5470	5469.62	-24.98	-21.83	6.561	12.5	Pass
	5745	5765	5764	-32.93	-29.78	1.052	12.5	Pass
	5765	5900	5830	-32.85	-29.7	1.072	2.5	Pass
	5900	26000	6311.5	-37.71	-34.56	0.35	2.5	Pass
Middle	30	5300	5272.99	-34.81	-31.66	0.682	2.5	Pass
	5300	5460	5439.28	-33.8	-30.65	0.861	2.5	Pass
	5460	5470	5464.22	-34.16	-31.01	0.793	12.5	Pass
	5745	5765	5746.16	-32.82	-29.67	1.079	12.5	Pass
	5765	5900	5892.64	-31.98	-28.83	1.309	2.5	Pass
	5900	26000	6480.4	-37.4	-34.25	0.376	2.5	Pass
High	30	5300	2536.81	-31.2	-28.05	1.567	2.5	Pass
	5300	5460	5377.52	-34.38	-31.23	0.753	2.5	Pass
	5460	5470	5465.48	-34.18	-31.03	0.789	12.5	Pass
	5745	5765	5754.38	-46.42	-43.27	0.047	12.5	Pass
	5765	5900	5768.44	-30.6	-27.45	1.799	2.5	Pass
	5900	26000	5980.9	-37.12	-33.97	0.401	2.5	Pass

W56, 802.11ax40


Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission			Limit (μW/MHz)	Verdict
	Start(MHz)	Stop(MHz)		Reading (dBm/MHz)	EIRP (dBm/MHz)	Result (μW/MHz)		
Low	30	5300	5207.38	-34.59	-31.44	0.718	12.5	Pass
	5300	5460	5445.36	-29.83	-26.68	2.148	12.5	Pass
	5460	5470	5465.65	-23.26	-20.11	9.75	50	Pass
	5770	5900	5864.31	-32.78	-29.63	1.089	12.5	Pass
	5900	26000	5955.8	-37.84	-34.69	0.34	12.5	Pass
Middle	30	5300	5212.12	-34.36	-31.21	0.757	12.5	Pass
	5300	5460	5418.8	-34.86	-31.71	0.675	12.5	Pass
	5460	5470	5467.59	-34.14	-30.99	0.796	50	Pass
	5770	5900	5824.8	-32.6	-29.45	1.135	12.5	Pass
	5900	26000	5902.5	-37.97	-34.82	0.33	12.5	Pass
High	30	5300	4324.39	-34.18	-31.03	0.789	12.5	Pass
	5300	5460	5456.88	-34.9	-31.75	0.668	12.5	Pass
	5460	5470	5466.95	-34.35	-31.2	0.759	50	Pass
	5770	5900	5776.44	-32.15	-29	1.259	12.5	Pass
	5900	26000	5919.6	-36.72	-33.57	0.44	12.5	Pass

W52, Test Condition: NV


802.11a, Low Channel(30MHz~5.1GHz)




802.11a, Low Channel(5.3GHz~26GHz)




802.11a, Low Channel(5.1GHz~5.3GHz)




802.11a, Middle Channel(30MHz~5.1GHz)




802.11a, Middle Channel(5.3GHz~26GHz)



802.11a, Middle Channel(5.1GHz~5.3GHz)




802.11a, High Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:32:40

802.11a, High Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:33:19

802.11a, High Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:33:27

802.11ac20, Low Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:11:20

802.11ac20, Low Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:11:58

802.11ac20, Low Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:12:05

802.11ac20, Middle Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:17:13

802.11ac20, Middle Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:17:50

802.11ac20, Middle Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:17:58

802.11ac20, High Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:20:11

802.11ac20, High Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:20:49

802.11ac20, High Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:24:23

802.11ac40, Low Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:18:50

802.11ac40, Low Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:19:27

802.11ac40, Low Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:19:43

802.11ac40, High Channel(30MHz~5.1GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:21:49

802.11ac40, High Channel(5.3GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:22:27

802.11ac40, High Channel(5.1GHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:22:42


802.11ax20, Low Channel(30MHz~5.1GHz)




802.11ax20, Low Channel(5.3GHz~26GHz)




802.11ax20, Low Channel(5.1GHz~5.3GHz)




802.11ax20, Middle Channel(30MHz~5.1GHz)




802.11ax20, Middle Channel(5.3GHz~26GHz)




802.11ax20, Middle Channel(5.1GHz~5.3GHz)




802.11ax20, High Channel(30MHz~5.1GHz)




802.11ax20, High Channel(5.3GHz~26GHz)




802.11ax20, High Channel(5.1GHz~5.3GHz)




802.11ax40, Low Channel(30MHz~5.1GHz)




802.11ax40, Low Channel(5.3GHz~26GHz)




802.11ax40, Low Channel(5.1GHz~5.3GHz)




802.11ax40, High Channel(30MHz~5.1GHz)




802.11ax40, High Channel(5.3GHz~26GHz)



802.11ax40, High Channel(5.1GHz~5.3GHz)




802.11ax40, High Channel(5.1GHz~5.3GHz)




W53, Test Condition: NV


802.11a, Low Channel(30MHz~5.2GHz)



802.11a, Low Channel(5.4GHz~26GHz)




802.11a, Low Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:32:30

802.11a, Middle Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:39:58

802.11a, Middle Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:40:35

802.11a, Middle Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:40:41

802.11a, High Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:43:41

802.11a, High Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:44:18

802.11a, High Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:44:23

802.11ac20, Low Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:28:42

802.11ac20, Low Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:29:19

802.11ac20, Low Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:29:25

802.11ac20, Middle Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:31:32

802.11ac20, Middle Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:32:10

802.11ac20, Middle Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:32:15

802.11ac20, High Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:33:38

802.11ac20, High Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:34:15

802.11ac20, High Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:34:21

802.11ac40, Low Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:24:25

802.11ac40, Low Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:25:02

802.11ac40, Low Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:25:08

802.11ac40, High Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:27:00

802.11ac40, High Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:27:37

802.11ac40, High Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:27:44

802.11ax20, Low Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:19:45

802.11ax20, Low Channel(5.4GHz~26GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:20:22

802.11ax20, Low Channel(5.2GHz~5.4GHz)




Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
5.200 GHz	5.233 GHz	1.000 MHz	5.21916 GHz	-33.93 dBm	-7.93 dB
5.233 GHz	5.240 GHz	1.000 MHz	5.23333 GHz	-34.60 dBm	-8.63 dB
5.240 GHz	5.249 GHz	1.000 MHz	5.24864 GHz	-11.35 dBm	-1.02 dB
5.249 GHz	5.250 GHz	1.000 MHz	5.24901 GHz	-10.86 dBm	-0.97 dB
5.250 GHz	5.250 GHz	1.000 MHz	5.24983 GHz	-3.43 dBm	-2.07 dB
5.250 GHz	5.350 GHz	1.000 MHz	5.26085 GHz	4.92 dBm	-45.08 dB
5.350 GHz	5.400 GHz	1.000 MHz	5.37703 GHz	-35.03 dBm	-9.03 dB

ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:41:58

802.11ax20, Middle Channel(30MHz~5.2GHz)




Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.06545 GHz	-34.50 dBm		

ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:22:05

802.11ax20, Middle Channel(5.4GHz~26GHz)




Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.9825 GHz	-37.87 dBm		

ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:22:43

802.11ax20, Middle Channel(5.2GHz~5.4GHz)




Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
5.200 GHz	5.233 GHz	1.000 MHz	5.22066 GHz	-34.80 dBm	-8.80 dB
5.233 GHz	5.240 GHz	1.000 MHz	5.23387 GHz	-35.63 dBm	-10.30 dB
5.240 GHz	5.249 GHz	1.000 MHz	5.24031 GHz	-34.56 dBm	-16.84 dB
5.249 GHz	5.250 GHz	1.000 MHz	5.24900 GHz	-35.25 dBm	-25.27 dB
5.250 GHz	5.250 GHz	1.000 MHz	5.24982 GHz	-34.91 dBm	-33.40 dB
5.250 GHz	5.350 GHz	1.000 MHz	5.27705 GHz	6.95 dBm	-43.05 dB
5.350 GHz	5.400 GHz	1.000 MHz	5.39912 GHz	-34.70 dBm	-8.70 dB

ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:22:48

802.11ax20, High Channel(30MHz~5.2GHz)




Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.6066 GHz	-33.58 dBm		

ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:24:19

802.11ax20, High Channel(5.4GHz~26GHz)




Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.9227 GHz	-37.13 dBm		


ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:24:56

802.11ax20, High Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:25:01

802.11ax40, Low Channel(30MHz~5.2GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:02:03

802.11ax40, Low Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:02:41

802.11ax40, Low Channel(5.2GHz~5.4GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:02:47

802.11ax40, High Channel(30MHz~5.2GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:04:53


802.11ax40, High Channel(5.4GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:05:30

W56, Test Condition: NV


802.11ax40, High Channel(5.2GHz~5.4GHz)




802.11a, Low Channel(30MHz~5.3GHz)




802.11a, Low Channel(5.9GHz~26GHz)




802.11a, Low Channel(5.3GHz~5.9GHz)




802.11a, Middle Channel(30MHz~5.3GHz)



802.11a, Middle Channel(5.9GHz~26GHz)




802.11a, Middle Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:01:48

802.11a, High Channel(30MHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:04:35

802.11a, High Channel(5.9GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:05:12

802.11a, High Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:05:19

802.11ac20, Low Channel(30MHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:37:52

802.11ac20, Low Channel(5.9GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:38:29


802.11ac20, Low Channel(5.3GHz~5.9GHz)




802.11ac20, Middle Channel(30MHz~5.3GHz)




802.11ac20, Middle Channel(5.9GHz~26GHz)




802.11ac20, Middle Channel(5.3GHz~5.9GHz)




802.11ac20, High Channel(30MHz~5.3GHz)




802.11ac20, High Channel(5.9GHz~26GHz)




802.11ac20, High Channel(5.3GHz~5.9GHz)




802.11ac40, Low Channel(30MHz~5.3GHz)




802.11ac40, Low Channel(5.9GHz~26GHz)




802.11ac40, Low Channel(5.3GHz~5.9GHz)




802.11ac40, Middle Channel(30MHz~5.3GHz)



802.11ac40, Middle Channel(5.9GHz~26GHz)




802.11ac40, Middle Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:46:47

802.11ac40, High Channel(30MHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:39:38

802.11ac40, High Channel(5.9GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:40:14

802.11ac40, High Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:49:30

802.11ax20, Low Channel(30MHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:26:37

802.11ax20, Low Channel(5.9GHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:27:14


802.11ax20, Low Channel(5.3GHz~5.9GHz)




802.11ax20, Middle Channel(30MHz~5.3GHz)




802.11ax20, Middle Channel(5.9GHz~26GHz)




802.11ax20, Middle Channel(5.3GHz~5.9GHz)




802.11ax20, High Channel(30MHz~5.3GHz)




802.11ax20, High Channel(5.9GHz~26GHz)




802.11ax20, High Channel(5.3GHz~5.9GHz)




802.11ax40, Low Channel(30MHz~5.3GHz)




802.11ax40, Low Channel(5.9GHz~26GHz)




802.11ax40, Low Channel(5.3GHz~5.9GHz)




802.11ax40, Middle Channel(30MHz~5.3GHz)



802.11ax40, Middle Channel(5.9GHz~26GHz)




802.11ax40, Middle Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:15:42

802.11ax40, High Channel(30MHz~5.3GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:18:43

802.11ax40, High Channel(5.9GHz~26GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:19:22


802.11ax40, High Channel(5.3GHz~5.9GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:19:29

W52


802.11A,HighChannel _5250.95MHz




802.11A,HighChannel_5251.46MHz




802.11ac20, HighChannel _5250.94MHz




802.11ac20, HighChannel_5251.07MHz




802.11ax20, High Channel _5251MHz



802.11ax20, High Channel _5251.9MHz




802.11ax40, High Channel _5251MHz




W53


802.11A,Low Channel _5249.05 MHz




802.11 ac20,Low Channel_5248.91MHz




802.11ac20, Low Channel _5249.08MHz




802.11ax20, Low Channel_5248.64MHz




802.11ax20, Low Channel _5249.01MHz



802.11ax20, Low Channel _5249.83MHz




802.11ax40, Low Channel _5249.02MHz



W56

802.11ax20, High Channel _5754.38MHz



Appendix A.4: Output Power and Output Power Tolerance

Test Condition: NV

W52

Mode	Antenna gain# (dBi)	Declared power# (mW/MHz)
802.11a	2.35	0.8
802.11ac20	2.35	0.4
802.11ac40	2.35	0.2
802.11ax20	2.35	0.4
802.11ax40	2.35	0.2

Mode	Channel	Antenna output power (dBm/MHz)	Antenna output power(mW/MHz)		Antenna output tolerance(%)		EIRP (mW/MHz)		Verdict
			Result	Limit	Result	Limit	Result	Limit	
802.11a	Low	-2.17	0.607	≤ 10	-24.13	-80~+20	1.04	10	Pass
	Middle	-1.38	0.728	≤ 10	-9.00	-80~+20	1.25	10	Pass
	High	-1.74	0.670	≤ 10	-16.25	-80~+20	1.15	10	Pass
802.11ac20	Low	-5.04	0.313	≤ 10	-21.75	-80~+20	0.54	10	Pass
	Middle	-4.14	0.385	≤ 10	-3.75	-80~+20	0.66	10	Pass
	High	-4.48	0.356	≤ 10	-11.00	-80~+20	0.61	10	Pass
802.11ac40	Low	-7.11	0.195	≤ 5	-2.50	-80~+20	0.33	5	Pass
	High	-6.82	0.208	≤ 5	4.00	-80~+20	0.36	5	Pass
802.11ax20	Low	-4.72	0.337	≤ 10	-15.75	-80~+20	0.58	10	Pass
	Middle	-4.44	0.360	≤ 10	-10.00	-80~+20	0.62	10	Pass
	High	-3.81	0.416	≤ 10	4.00	-80~+20	0.71	10	Pass
802.11ax40	Low	-6.69	0.214	≤ 5	7.00	-80~+20	0.37	5	Pass
	High	-6.27	0.236	≤ 5	18.00	-80~+20	0.41	5	Pass

W53

Mode	Antenna gain# (dBi)	Declared power# (mW/MHz)
802.11a	2.29	0.9
802.11ac20	2.29	0.4
802.11ac40	2.29	0.2
802.11ax20	2.29	0.4
802.11ax40	2.29	0.2

Mode	Channel	Antenna output power (dBm/MHz)	Antenna output power(mW/MHz)		Antenna output tolerance(%)		EIRP (mW/MHz)		Verdict
			Result	Limit	Result	Limit	Result	Limit	
802.11a	Low	-0.37	0.918	≤ 10	2.00	-80~+20	1.56	5	Pass
	Middle	-0.73	0.845	≤ 10	-6.11	-80~+20	1.43	5	Pass
	High	-0.71	0.849	≤ 10	-5.67	-80~+20	1.44	5	Pass
802.11ac20	Low	-4.36	0.366	≤ 10	-8.50	-80~+20	0.62	5	Pass
	Middle	-3.80	0.417	≤ 10	4.25	-80~+20	0.71	5	Pass
	High	-4.46	0.358	≤ 10	-10.50	-80~+20	0.61	5	Pass
802.11ac40	Low	-7.05	0.197	≤ 5	-1.50	-80~+20	0.33	2.5	Pass
	High	-7.18	0.191	≤ 5	-4.50	-80~+20	0.32	2.5	Pass
802.11ax20	Low	-3.75	0.422	≤ 10	5.50	-80~+20	0.71	5	Pass
	Middle	-3.42	0.455	≤ 10	13.75	-80~+20	0.77	5	Pass
	High	-3.55	0.442	≤ 10	10.50	-80~+20	0.75	5	Pass
802.11ax40	Low	-6.69	0.214	≤ 5	7.00	-80~+20	0.36	2.5	Pass
	High	-6.29	0.235	≤ 5	17.50	-80~+20	0.40	2.5	Pass

W56

Mode	Antenna gain# (dBi)	Declared power# (mW/MHz)
802.11a	3.15	1.5
802.11ac20	3.15	1.5
802.11ac40	3.15	0.7
802.11ax20	3.15	1.5
802.11ax40	3.15	0.7

Mode	Channel	Antenna output power (dBm/MHz)	Antenna output power(mW/MHz)		Antenna output tolerance(%)		EIRP (mW/MHz)		Verdict
			Result	Limit	Result	Limit	Result	Limit	
802.11a	Low	1.37	1.371	≤ 10	-8.60	-50~+50	2.83	25	Pass
	Middle	1.55	1.429	≤ 10	-4.73	-50~+50	2.95	25	Pass
	High	1.86	1.535	≤ 10	2.33	-50~+50	3.17	25	Pass
802.11ac20	Low	1.16	1.306	≤ 10	-12.93	-50~+50	2.70	25	Pass
	Middle	1.26	1.337	≤ 10	-10.87	-50~+50	2.76	25	Pass
	High	1.67	1.469	≤ 10	-2.07	-50~+50	3.03	25	Pass
802.11ac40	Low	-2.22	0.600	≤ 5	-14.29	-50~+50	1.24	12.5	Pass
	Middle	-1.99	0.632	≤ 5	-9.71	-50~+50	1.31	12.5	Pass
	High	-1.54	0.701	≤ 5	0.14	-50~+50	1.45	12.5	Pass
802.11ax20	Low	1.01	1.262	≤ 10	-15.87	-50~+50	2.61	25	Pass
	Middle	1.33	1.358	≤ 10	-9.47	-50~+50	2.81	25	Pass
	High	1.67	1.469	≤ 10	-2.07	-50~+50	3.03	25	Pass
802.11ax40	Low	-2.54	0.557	≤ 5	-20.43	-50~+50	1.15	12.5	Pass
	Middle	-1.46	0.714	≤ 5	2.00	-50~+50	1.48	12.5	Pass
	High	-1.10	0.776	≤ 5	10.86	-50~+50	1.60	12.5	Pass

Note:

Antenna output power(mW/MHz) = 10^[Antenna output power(dBm/MHz) / 10]


Antenna output power tolerance(%) = (Antenna output power - Declared power) / Declared power * 100

EIRP(mW/MHz) = 10^{[Antenna output power(dBm/MHz) + Antenna gain] / 10}.


W52, Test Condition: NV

5.2G_802.11a_5180MHz

Reference Power




Power




5.2G_802.11a_5200MHz

Reference Power




Power




5.2G_802.11a_5240MHz

Reference Power




Power




5.2G_802.11ac20_5180MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:12:23


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:16:14


5.2G_802.11ac20_5200MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:18:13


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:18:30


5.2G_802.11ac20_5240MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:24:39


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:27:04


5.2G_802.11ac40_5190MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:19:59


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:20:50


5.2G_802.11ac40_5230MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:22:58


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:23:31


5.2G_802.11ax20_5180MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:30:13


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:31:05


5.2G_802.11ax20_5200MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:33:41


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:34:04


5.2G_802.11ax20_5240MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 13:55:03


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 13:55:17


5.2G_802.11ax40_5190MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:54:56


Power




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:55:24

5.2G_802.11ax40_5230MHz_RU_Full

Reference Power




Power




W53, Test Condition: NV

5.3G_802.11a_5260MHz

Reference Power




Power




5.3G_802.11a_5280MHz

Reference Power




Power




5.3G_802.11a_5320MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:44:38


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:45:44


5.3G_802.11ac20_5260MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:29:40


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:30:39


5.3G_802.11ac20_5280MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:32:30


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:32:45


5.3G_802.11ac20_5320MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:34:36


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:34:53


5.3G_802.11ac40_5270MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:25:24


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:25:44


5.3G_802.11ac40_5310MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:27:59


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:28:23


5.3G_802.11ax20_5260MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:20:43


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:20:59


5.3G_802.11ax20_5280MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:23:04


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:23:25


5.3G_802.11ax20_5320MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:25:17


Power




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:25:32

5.3G_802.11ax40_5270MHz_RU_Full

Reference Power




Power




5.3G_802.11ax40_5310MHz_RU_Full

Reference Power




Power




W56, Test Condition: NV

5.6G_802.11a_5500MHz

Reference Power




Power




5.6G_802.11a_5600MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:02:03


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:02:38


5.6G_802.11a_5720MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:05:34


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:07:36


5.6G_802.11ac20_5500MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:38:50


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:39:06


5.6G_802.11ac20_5600MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:41:35


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:41:49


5.6G_802.11ac20_5720MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:44:06


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:45:03


5.6G_802.11ac40_5510MHz

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:43:27


Power




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:45:25

5.6G_802.11ac40_5590MHz

Reference Power




Power




5.6G_802.11ac40_5710MHz

Reference Power




Power




5.6G_802.11ax20_5500MHz_RU_Full

Reference Power




Power




5.6G_802.11ax20_5600MHz_RU_Full

Reference Power




Power




5.6G_802.11ax20_5720MHz_RU_Full

Reference Power




Power




5.6G_802.11ax40_5510MHz_RU_Full

Reference Power




Power




5.6G_802.11ax40_5590MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:15:56


Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:16:34


5.6G_802.11ax40_5710MHz_RU_Full

Reference Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:19:43

Power



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:20:49

Appendix A.5: Adjacent Channel Power

Test Condition: NV

W52

Mode	Frequency offset(MHz)	Result(dBc)			Limit (dBc)	Verdict
		Low Channel	Middle Channel	High Channel		
802.11a	-20	31.39	31.16	31.51	≥ 25	Pass
	+20	30.75	31.37	31.00	≥ 25	Pass
	-40	49.46	49.97	48.82	≥ 40	Pass
	+40	48.81	49.75	48.93	≥ 40	Pass
802.11ac20	-20	28.33	27.60	27.75	≥ 25	Pass
	+20	27.08	27.18	27.10	≥ 25	Pass
	-40	47.69	47.76	47.73	≥ 40	Pass
	+40	47.38	47.81	47.84	≥ 40	Pass
802.11ac40	-40	32.68	/	32.95	≥ 25	Pass
	+40	32.01	/	31.20	≥ 25	Pass
	-80	45.91	/	45.98	≥ 40	Pass
	+80	45.50	/	45.79	≥ 40	Pass
802.11ax20	-20	28.44	28.69	27.34	≥ 25	Pass
	+20	27.29	26.91	26.69	≥ 25	Pass
	-40	48.19	47.98	48.63	≥ 40	Pass
	+40	47.71	47.43	48.76	≥ 40	Pass
802.11ax40	-40	33.79	/	33.08	≥ 25	Pass
	+40	32.10	/	32.57	≥ 25	Pass
	-80	46.95	/	47.21	≥ 40	Pass
	+80	46.48	/	47.16	≥ 40	Pass

W53

Mode	Frequency offset(MHz)	Result(dBc)			Limit (dBc)	Verdict
		Low Channel	Middle Channel	High Channel		
802.11a	-20	31.33	31.49	31.27	≥ 25	Pass
	+20	31.35	30.70	30.99	≥ 25	Pass
	-40	49.80	50.62	49.50	≥ 40	Pass
	+40	49.58	50.35	49.37	≥ 40	Pass
802.11ac20	-20	28.54	28.11	27.83	≥ 25	Pass
	+20	27.15	27.16	27.23	≥ 25	Pass

Mode	Frequency offset(MHz)	Result(dBc)			Limit (dBc)	Verdict
		Low Channel	Middle Channel	High Channel		
802.11ac20	-40	47.44	47.84	47.25	≥ 40	Pass
	+40	47.43	47.61	47.31	≥ 40	Pass
802.11ac40	-40	33.66	/	32.97	≥ 25	Pass
	+40	32.59	/	32.45	≥ 25	Pass
	-80	46.21	/	45.67	≥ 40	Pass
	+80	46.13	/	45.94	≥ 40	Pass
802.11ax20	-20	28.33	28.36	27.77	≥ 25	Pass
	+20	26.73	26.41	27.30	≥ 25	Pass
	-40	49.27	48.32	48.72	≥ 40	Pass
	+40	49.24	48.05	48.55	≥ 40	Pass
802.11ax40	-40	34.27	/	33.51	≥ 25	Pass
	+40	31.79	/	32.84	≥ 25	Pass
	-80	47.27	/	47.40	≥ 40	Pass
	+80	47.38	/	47.87	≥ 40	Pass


W56

Mode	Frequency offset(MHz)	Result(dBc)			Limit (dBc)	Verdict
		Low Channel	Middle Channel	High Channel		
802.11a	-20	30.89	30.31	30.22	≥ 25	Pass
	+20	30.55	30.83	30.80	≥ 25	Pass
	-40	49.32	49.46	48.03	≥ 40	Pass
	+40	47.84	47.45	47.02	≥ 40	Pass
802.11ac20	-20	27.16	26.65	26.82	≥ 25	Pass
	+20	26.74	26.48	26.81	≥ 25	Pass
	-40	47.15	47.13	47.42	≥ 40	Pass
	+40	46.86	46.31	45.70	≥ 40	Pass
802.11ac40	-40	31.55	31.15	31.57	≥ 25	Pass
	+40	30.70	31.36	30.99	≥ 25	Pass
	-80	46.63	47.96	48.68	≥ 40	Pass
	+80	48.69	47.49	47.76	≥ 40	Pass
802.11ax20	-20	27.23	27.07	27.43	≥ 25	Pass
	+20	26.68	26.77	26.48	≥ 25	Pass
	-40	47.75	47.87	45.96	≥ 40	Pass


Mode	Frequency offset(MHz)	Result(dBc)			Limit (dBc)	Verdict
		Low Channel	Middle Channel	High Channel		
802.11ax20	+40	46.67	46.38	45.11	≥ 40	Pass
802.11ax40	-40	30.91	31.21	31.96	≥ 25	Pass
	+40	31.47	30.12	28.97	≥ 25	Pass
	-80	47.15	47.67	48.78	≥ 40	Pass
	+80	48.48	47.61	48.22	≥ 40	Pass

W52, Test Condition: NV


802.11a, Low Channel




802.11a, Middle Channel




802.11a, High Channel




802.11ac20, Low Channel




802.11ac20, Middle Channel




802.11ac20, High Channel




802.11ac40, Low Channel




802.11ac40, High Channel




802.11ax20, Low Channel




802.11ax20, Middle Channel



802.11ax20, High Channel




802.11ax40, Low Channel




W53, Test Condition: NV


802.11ax40, High Channel




802.11a, Low Channel




802.11a, Middle Channel




802.11a, High Channel




802.11ac20, Low Channel



802.11ac20, Middle Channel




802.11ac20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:34:58

802.11ac40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:25:49

802.11ac40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:28:28

802.11ax20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:21:04

802.11ax20, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:23:30

802.11ax20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:25:37

802.11ax40, Low Channel




802.11ax40, High Channel




W56, Test Condition: NV


802.11a, Low Channel




802.11a, Middle Channel




802.11a, High Channel



802.11ac20, Low Channel




802.11ac20, Middle Channel



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:41:54

802.11ac20, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:45:08

802.11ac40, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:45:31

802.11ac40, Middle Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:47:47

802.11ac40, High Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:52:03

802.11ax20, Low Channel




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:27:55

802.11ax20, Middle Channel




802.11ax20, High Channel




802.11ax40, Low Channel



802.11ax40, Middle Channel



802.11ax40, High Channel



Appendix A.6: Secondary Radiated Emission Strength

Test Condition: NV

W52

Mode	Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission		Limit (nW)	Verdict
		Start(MHz)	Stop(MHz)		Result (dBm)	Result (nW)		
802.11a	Low	30	1000	594.297	-67.49	0.178	4	Pass
		1000	26000	19843.750	-48.81	13.152	20	Pass
	Middle	30	1000	573.927	-67.58	0.175	4	Pass
		1000	26000	19831.251	-49.35	11.614	20	Pass
	High	30	1000	910.518	-67.09	0.195	4	Pass
		1000	26000	15668.750	-49.15	12.162	20	Pass
802.11ac20	Low	30	1000	961.442	-66.93	0.203	4	Pass
		1000	26000	19893.750	-48.21	15.101	20	Pass
	Middle	30	1000	873.172	-66.96	0.201	4	Pass
		1000	26000	15681.250	-48.56	13.932	20	Pass
	High	30	1000	818.367	-66.17	0.242	4	Pass
		1000	26000	15706.250	-48.67	13.583	20	Pass
802.11ac40	Low	30	1000	927.977	-66.72	0.213	4	Pass
		1000	26000	15668.750	-48.67	13.583	20	Pass
	High	30	1000	950.287	-66.63	0.217	4	Pass
		1000	26000	15656.250	-48.67	13.583	20	Pass
802.11ax20	Low	30	1000	838.737	-67.01	0.199	4	Pass
		1000	26000	19856.251	-49.55	11.092	20	Pass
	Middle	30	1000	806.242	-67.40	0.182	4	Pass
		1000	26000	19831.251	-48.48	14.191	20	Pass
	High	30	1000	906.638	-66.67	0.215	4	Pass
		1000	26000	15681.250	-48.96	12.706	20	Pass
802.11ax40	Low	30	1000	914.882	-67.04	0.198	4	Pass
		1000	26000	15706.250	-49.29	11.776	20	Pass
	High	30	1000	518.638	-67.12	0.194	4	Pass
		1000	26000	15706.250	-49.34	11.641	20	Pass

W53


Mode	Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission		Limit (nW)	Verdict
		Start(MHz)	Stop(MHz)		Result (dBm)	Result (nW)		
802.11a	Low	30	1000	932.828	-66.73	0.212	4	Pass
		1000	26000	19843.750	-47.96	15.996	20	Pass
	Middle	30	1000	951.743	-66.81	0.208	4	Pass
		1000	26000	19843.750	-49.24	11.912	20	Pass
	High	30	1000	974.537	-66.91	0.204	4	Pass
		1000	26000	19856.251	-49.20	12.023	20	Pass
802.11ac20	Low	30	1000	933.798	-66.54	0.222	4	Pass
		1000	26000	15706.250	-49.44	11.376	20	Pass
	Middle	30	1000	850.377	-66.84	0.207	4	Pass
		1000	26000	19881.251	-48.72	13.428	20	Pass
	High	30	1000	888.692	-66.71	0.213	4	Pass
		1000	26000	15668.750	-48.96	12.706	20	Pass
802.11ac40	Low	30	1000	995.878	-66.75	0.211	4	Pass
		1000	26000	15656.250	-48.67	13.583	20	Pass
	High	30	1000	851.833	-66.68	0.215	4	Pass
		1000	26000	15706.250	-49.41	11.455	20	Pass
802.11ax20	Low	30	1000	857.652	-66.88	0.205	4	Pass
		1000	26000	15793.750	-49.05	12.445	20	Pass
	Middle	30	1000	954.167	-66.92	0.203	4	Pass
		1000	26000	19831.251	-48.76	13.305	20	Pass
	High	30	1000	749.012	-67.02	0.199	4	Pass
		1000	26000	15706.250	-48.45	14.289	20	Pass
802.11ax40	Low	30	1000	819.823	-67.34	0.185	4	Pass
		1000	26000	15706.250	-49.16	12.134	20	Pass
	High	30	1000	830.492	-67.21	0.190	4	Pass
		1000	26000	2543.750	-47.46	17.947	20	Pass

W56


Mode	Channel	Frequency Range		Max.Emission Located(MHz)	Max.Emission		Limit (nW)	Verdict
		Start(MHz)	Stop(MHz)		Result (dBm)	Result (nW)		
802.11a	Low	30	1000	884.812	-66.63	0.217	4	Pass
	Low	1000	26000	19456.250	-48.99	12.618	20	Pass
	Middle	30	1000	926.038	-66.82	0.208	4	Pass
		1000	26000	15606.251	-49.58	11.015	20	Pass
	High	30	1000	879.478	-66.92	0.203	4	Pass
		1000	26000	19868.750	-49.05	12.445	20	Pass
802.11ac20	Low	30	1000	965.322	-66.99	0.200	4	Pass
		1000	26000	19856.251	-49.26	11.858	20	Pass
	Middle	30	1000	935.252	-67.20	0.191	4	Pass
		1000	26000	19831.251	-48.44	14.322	20	Pass
	High	30	1000	834.857	-65.54	0.279	4	Pass
		1000	26000	19881.251	-48.84	13.062	20	Pass
802.11ac40	Low	30	1000	991.513	-66.13	0.244	4	Pass
		1000	26000	15681.250	-47.76	16.749	20	Pass
	Middle	30	1000	432.793	-67.03	0.198	4	Pass
		1000	26000	19831.251	-49.10	12.303	20	Pass
	High	30	1000	916.337	-67.32	0.185	4	Pass
		1000	26000	15656.250	-48.58	13.868	20	Pass
802.11ax20	Low	30	1000	984.238	-67.24	0.189	4	Pass
		1000	26000	19843.750	-48.23	15.031	20	Pass
	Middle	30	1000	866.383	-66.55	0.221	4	Pass
		1000	26000	19843.750	-49.31	11.722	20	Pass
	High	30	1000	846.497	-67.12	0.194	4	Pass
		1000	26000	19818.750	-48.78	13.243	20	Pass
802.11ax40	Low	30	1000	982.783	-66.68	0.215	4	Pass
		1000	26000	19881.251	-49.00	12.589	20	Pass
	Middle	30	1000	915.852	-67.33	0.185	4	Pass
		1000	26000	19856.251	-49.09	12.331	20	Pass
	High	30	1000	787.327	-66.61	0.218	4	Pass
		1000	26000	19843.750	-49.27	11.830	20	Pass

W52, Test Condition: NV


802.11a, Low Channel(30MHz~26GHz)




802.11a, Middle Channel(30MHz~26GHz)




802.11a, High Channel(30MHz~26GHz)




802.11ac20, Low Channel(30MHz~26GHz)




802.11ac20, Middle Channel(30MHz~26GHz)



802.11ac20, High Channel(30MHz~26GHz)




802.11ac40, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:06:46

802.11ac40, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:08:19

802.11ax20, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:18:17

802.11ax20, Middle Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:19:49

802.11ax20, High Channel(30MHz~26GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:21:08


802.11ax40, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:29:47

W53, Test Condition: NV


802.11ax40, High Channel(30MHz~26GHz)




802.11a, Low Channel(30MHz~26GHz)




802.11a, Middle Channel(30MHz~26GHz)




802.11a, High Channel(30MHz~26GHz)




802.11ac20, Low Channel(30MHz~26GHz)



802.11ac20, Middle Channel(30MHz~26GHz)




802.11ac20, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:54:54

802.11ac40, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:10:15

802.11ac40, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:11:31

802.11ax20, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:22:46

802.11ax20, Middle Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:24:04

802.11ax20, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:24:49

802.11ax40, Low Channel(30MHz~26GHz)




802.11ax40, High Channel(30MHz~26GHz)




W56, Test Condition: NV


802.11a, Low Channel(30MHz~26GHz)




802.11a, Middle Channel(30MHz~26GHz)




802.11a, High Channel(30MHz~26GHz)



802.11ac20, Low Channel(30MHz~26GHz)




802.11ac20, Middle Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 15:56:49

802.11ac20, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:03:53

802.11ac40, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:12:19

802.11ac40, Middle Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:13:11

802.11ac40, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:15:45

802.11ax20, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:26:05

802.11ax20, Middle Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:26:54

802.11ax20, High Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:28:22

802.11ax40, Low Channel(30MHz~26GHz)




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:33:09

802.11ax40, Middle Channel(30MHz~26GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:33:57

802.11ax40, High Channel(30MHz~26GHz)



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 20.AUG.2026 16:35:22

Appendix A.7: Transmission Burst Length

Test Condition: NV

W52

Test Condition	Test mode	Channel Frequency (MHz)	Transmission burst length(ms)	Limit(ms)
Normal Voltage	802.11a	5180	1.396	≤8
		5200	1.396	≤8
		5240	1.396	≤8
	802.11ac20	5180	5.093	≤8
		5200	5.092	≤8
		5240	5.098	≤8
	802.11ac40	5190	2.473	≤8
		5230	2.474	≤8
	802.11ax20	5180	3.874	≤8
		5200	3.873	≤8
		5240	3.873	≤8
	802.11ax40	5190	1.969	≤8
		5230	1.967	≤8


W53

Test Condition	Test mode	Channel Frequency (MHz)	Transmission burst length(ms)	Limit(ms)
Normal Voltage	802.11a	5260	1.393	≤8
		5280	1.396	≤8
		5320	1.396	≤8
	802.11ac20	5260	5.091	≤8
		5280	5.094	≤8
		5320	5.093	≤8
	802.11ac40	5270	2.473	≤8
		5310	2.473	≤8
	802.11ax20	5260	3.872	≤8
		5280	3.872	≤8
		5320	3.875	≤8
	802.11ax40	5270	1.966	≤8
		5310	1.969	≤8

W56


Test Condition	Test mode	Channel Frequency (MHz)	Transmission burst length(ms)	Limit(ms)
Normal Voltage	802.11a	5500	1.396	≤8
		5600	1.397	≤8
		5720	1.396	≤8
	802.11ac20	5500	5.087	≤8
		5600	5.092	≤8
		5720	5.087	≤8
	802.11ac40	5510	2.473	≤8
		5590	2.476	≤8
		5710	2.474	≤8
	802.11ax20	5500	3.872	≤8
		5600	3.873	≤8
		5720	3.873	≤8
	802.11ax40	5510	1.969	≤8
		5590	1.969	≤8
		5710	1.969	≤8

802.11a, 5180MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:13:02

802.11a, 5200MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:29:14

802.11a, 5240MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:36:41

802.11a, 5260MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:39:18

802.11a, 5280MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 15:42:39

802.11a, 5320MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:15:29

802.11a, 5500MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:18:08

802.11a, 5600MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:03:47

802.11a, 5720MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 18.AUG.2026 16:08:46

802.11ac20, 5180MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:16:30

802.11ac20, 5200MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:19:29

802.11ac20, 5240MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:27:55

802.11ac20, 5260MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:30:52

802.11ac20, 5280MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:32:57

802.11ac20, 5320MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:35:15

802.11ac20, 5500MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:39:47

802.11ac20, 5600MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 09:42:22

802.11ac20, 5720MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:10:58

802.11ac40, 5190MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:21:05

802.11ac40, 5230MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:23:46

802.11ac40, 5270MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:26:03

802.11ac40, 5310MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:28:41

802.11ac40, 5510MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:45:44

802.11ac40, 5590MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:48:39

802.11ac40, 5710MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 10:41:21

802.11ax20, 5180MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:32:00

802.11ax20, 5200MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 11:34:20

802.11ax20, 5240MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 13:55:30

802.11ax20, 5260MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:21:16

802.11ax20, 5280MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:23:40

802.11ax20, 5320MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:25:50

802.11ax20, 5500MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:28:06

802.11ax20, 5600MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:30:41

802.11ax20, 5720MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:33:48

802.11ax40, 5190MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 14:56:20

802.11ax40, 5230MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:01:10

802.11ax40, 5270MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:04:10

802.11ax40, 5310MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:08:18

802.11ax40, 5510MHz




ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:12:51

802.11ax40, 5590MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:17:54

802.11ax40, 5710MHz



ProjectNo.:2604V73211E-RF Tester:Steve Lu
Date: 19.AUG.2026 15:26:24

Appendix A.8: Carrier Sensing Function

Test Result: Compliance.

Appendix A.9: Radio Interference Prevention Capability

Test Result: Good. **MAC:** b0:8c:b3:d8:f1:8e

******* END *******